



# 174Z2430

S102002T1E013CMN2XXSXXZ2XGXXXXXXXXXXXXXX

APU CONSISTING OF:  
FC-102 VFD  
2 HP, 208 Volt, Nema 1

3 Contactor Bypass, Main Disconnect Switch,  
100kA SCCR, EMB2 Electro-mech bypass,  
No Reactor/Filter, No Brake Chopper,  
Graphical, No Conformal Coating,  
Single Motor,  
X, X  
RFI Filter Standard, No Communication Cards,  
No Input/Output Cards, No Option C2,  
No Software option, No Option D Cards

FRAME SIZE: A2  
APU TIER: Tier 2

S102002T1E013CMN2XXSXXZ2XGXXXXXXXXXXXXXX  
MECHANICAL DRAWING: 176U8485  
ELECTRICAL DRAWING: 007N0302

**Model code:** S102002T1E013CMN2XXSXXZ2XGXXXXXXXXXXXXXX

VLT® HVAC Drive FC 102 packaged drive solutions offer unique feature-rich design to meet HVAC requirements, maximize uptime, and reduce total cost of ownership. These drives are manufactured to stringent standards in UL-certified facilities and have the same warranties as all other VLT® drive products.

## Product details

| Characteristic | Value               |
|----------------|---------------------|
| Gross weight   | 35.5 Kilogram       |
| Net weight     | 17.36 Kilogram      |
| Volume         | 260.114 Liter       |
| EAN            | 5714853722037       |
| Prefix         | Standard            |
| Series         | HVAC Drive Advanced |
| Horsepower     | 2 HP                |
| Voltage        | 208 Volt            |

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



## Product details

| Characteristic        | Value                    |
|-----------------------|--------------------------|
| Enclosure             | Nema 1                   |
| Bypass                | 3 Contactor Bypass       |
| Switches              | Main Disconnect Switch   |
| Fusing                | 100kA SCCR               |
| Control Selection A   | EMB2 Electro-mech bypass |
| Reactor               | No Reactor/Filter        |
| Power Rating Style    | Current Style A-C frame  |
| Motor Quantity        | Single Motor             |
| MOTOR #1              | X                        |
| MOTOR #2              | X                        |
| Future Option         | NONE                     |
| RFI                   | RFI Filter Standard      |
| Brake                 | No Brake Chopper         |
| Display               | Graphical                |
| Coating               | No Conformal Coating     |
| Adaption A            | No Adaption A            |
| Adaption B            | No Adaption B            |
| Software Release      | Latest Software Release  |
| Software Language     | Standard Language Pack   |
| Options A             | No Communication Cards   |
| Options B             | No Input/Output Cards    |
| Options C1            | No Option C0             |
| Options C2            | No Option C2             |
| Options C3            | No Software option       |
| Options D             | No Option D Cards        |
| Tiers                 | Tier 2                   |
| Frame Size            | A2                       |
| Modelcode01           | S102002T1E013CMN2XXS     |
| Modelcode02           | XXZ2XGXXXXXXXXXXXXXX     |
| Drive Typecode Part 1 | FC-102P1K5T2E20H2XGX     |
| Drive Typecode Part 2 | XXXSXXXAXBXXXXDX         |

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



## Product details

| Characteristic                 | Value                       |
|--------------------------------|-----------------------------|
| Schematic                      | 007N0302                    |
| Installation Drawing           | 176U8485                    |
| Product Catalog                | NO VIEW                     |
| Calculated Net Weight [kg]     | 17.36                       |
| Calculated Gross Weight [kg]   | 35.5                        |
| Calculated Net Weight [lbs]    | 38.272                      |
| Calculated Gross Weight (lbs)  | 78.264                      |
| Vendor                         | Cannot Determine Vendor     |
| Label Template                 | OP100_E01_12_Danfoss_PL.btw |
| Label stock used for printing  | 176U9528                    |
| Company info 1                 | Danfoss LLC                 |
| Company info 2                 | Milwaukee, WI 53224, U.S.A. |
| Company info 3                 | Tel.: +1 (800) 432-6367     |
| Company info 4                 | Fax.: +1 (815) 639-8002     |
| Company Service Info #1        | See manual 176R0585         |
| Company Service Info #3        | Tel.: +1 (800) 432-6367     |
| Company Service Info #4        | Fax.: +1 (815) 639-8002     |
| Enclosure rating               | UL Type 1                   |
| Ambient temp. normal overload  | 45degC/113degF              |
| Minimum Temperature Rating     | 0degC/32degF                |
| Humidity                       | 95% Non-Cond.               |
| Label - Frame                  | Frame A2                    |
| Panel Tier Indicator           | Tier 2                      |
| Input Voltage                  | 208 VAC,                    |
| Input frequency                | 3ph, 60 Hz,                 |
| Output frequency               | 3ph, 0-60 Hz                |
| Input current in Normal Overlo | 8.1 A,                      |
| Motor HP Rating (Single/CMS)   | 2.0 HP,                     |
| Motor FLA Rating (Single/CMS)  | 7.5 A,                      |
| Fuse 5 ID                      | F900,F901,F902              |
| Fuse 5 Manufacturer            | Bussmann                    |

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



## Product details

| Characteristic               | Value                                 |
|------------------------------|---------------------------------------|
| Fuse 5 Type                  | FWH-020A6F 20A                        |
| Fuse 1 ID                    | F15A, B, C                            |
| Fuse 1 Manufacturer          | -                                     |
| Fuse 1 Type                  | 600 VAC, 12 A, CLASS J                |
| Fuse 2 ID                    | F16A, B, C                            |
| Fuse 2 Manufacturer          | Bussmann                              |
| Fuse 2 Type                  | LP-CC-15                              |
| Short circuit current rating | 100 kA                                |
| Connection 1 ID              | L1, L2, L3/ GND                       |
| Connection 1 Torque          | 17 (1.9)/ 25 (2.8)                    |
| Connection 1 Type            | Use 75 C Copper Cond.                 |
| Connection 2 ID              | T1, T2, T3/ GND                       |
| Connection 2 Torque          | 20 (2.3)/ 25 (2.8)                    |
| Connection 2 Type            | Use 75 C Copper Cond.                 |
| Connection 6 ID              | TB1                                   |
| Connection 6 Torque          | 7 (0.8)                               |
| Connection 6 Type            | Use Copper Cond.                      |
| Panel Schematic              | 007N0302                              |
| Layout Drawing Number        | 176U8485                              |
| ENCLOSURE LAYOUT             | 176U5305                              |
| ELECTRICAL LAYOUT            | 176U5312                              |
| Panel OSHPD 1                | OSHPD Pre-Approval:                   |
| Panel OSHPD 2                | OSP-0087                              |
| Panel OSHPD 3                | Anchorage: Rigid Wall Mount           |
| Panel OSHPD 4                | SDS: 1.58, z/h: 1.0, ip: 1.5          |
| ECCN US                      | 3A999.a                               |
| ECCN EU                      | Y901                                  |
| Product View (Switch)        | North America (Regional)              |
| Typecode Part 1              | S102002T1E013CMN2XXS                  |
| Typecode Part 2              | XXZ2XGXXXXXXXXXXXXXX                  |
| Proposition 65               | WARNING: Cancer and Reproductive Harm |

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



Product details

| Characteristic | Value                  |
|----------------|------------------------|
|                | www.p65warnings.ca.gov |

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store

Services



130R1370  
DrivePro Start-up Travel Time 1h extra



130R2000  
DRIVEPROTECTION EXWAR WORKSHOP PG03 18MO

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note:  
See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tecton Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### 130R2001

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 24MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2002

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 30MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### 130R2003

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 36MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2004

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 42MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### 130R2005

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 48MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

#### Note:

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2006

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 54MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

#### Note:

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



## Services

---



### 130R2007

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 60MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2008

#### **DRIVEPROTECTION EXWAR WORKSHOP PG03 66MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



**130R2009** 

**DRIVEPROTECTION EXWAR WORKSHOP PG03 72MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

**Note:**

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R2100** 

**DRIVEPROTECTION EXWARR ONSITE PG03 18 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

**NOTE:**

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### 130R2101

#### **DRIVEPROTECTION EXWARR ONSITE PG03 24 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

**NOTE:**

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2102

#### **DRIVEPROTECTION EXWARR ONSITE PG03 30 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

**NOTE:**

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### 130R2103

#### **DRIVEPROTECTION EXWARR ONSITE PG03 36 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

#### NOTE:

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2104

#### **DRIVEPROTECTION EXWARR ONSITE PG03 42 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

#### Note:

See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### [130R2105](#)

#### **DRIVEPROTECTION EXWARR ONSITE PG03 48 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

#### NOTE:

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### [130R2106](#)

#### **DRIVEPROTECTION EXWARR ONSITE PG03 54 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

#### NOTE:

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



### 130R2107

#### **DRIVEPROTECTION EXWARR ONSITE PG03 60 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

#### NOTE:

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R2108

#### **DRIVEPROTECTION EXWARR ONSITE PG03 66 MO**

DrivePro®-taction is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

#### NOTE:

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-taction Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store **

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Services

---



**130R2109** 

### **DRIVEPROTECTION EXWARR ONSITE PG03 72 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

**NOTE:**

- Standard pricing applies to drives installed within the 48 adjacent U.S states , Oahu (Hawaii) and major metropolitan areas in Canada.
- On-site coverage is generally available for most industrial applications, except remote locations such as oil and gas drilling or mining sites.
- For these, consult the DrivePro Sales Team to verify availability before quoting or ordering.
- For locations such like Anchorage (Alaska), US territories, Remote locate in Canada and U.S please consult Danfoss directly for pricing.

You can only order DrivePro®-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.